

USER GUIDE & INSTALLATION INSTRUCTIONS

DESCRIPTION: R850 Roll Bag

PART NUMBER: 3515-0074

OVERVIEW:

- Fully rigid construction with side opening.
- Can be used alone, and also installs on top of most Saddlemen sissy bar bags.
- Top carry handle and shoulder strap included for easy carrying off bike.
- Constructed of UV-, water-, and weather-resistant 1200 denier Saddle Tuff™.
- Dimensions 14" L x 8.5" x 8.5"

CONTENTS / PARTS INCLUDED:

Qty	Item	Qty	Item
1	R850 Roll bag	2	Safety strap with male end buckles
1	Shoulder strap	2	Safety strap with side release buckles
1	Instructions		



IMPORTANT:

READ THESE INSTRUCTIONS THOROUGHLY BEFORE INSTALLATION. All "NOTE," "CAUTION" and "WARNING" notations are serious safety issues and should be read carefully. Possible injury to riders or damage to the motorcycle and/or accessory may result if improperly installed.

NOTICE TO DEALERS:

These instructions contain important information for future reference and should be given to the customer.

⚠ WARNING:

READ THESE INSTRUCTIONS THOROUGHLY BEFORE INSTALLATION!

Because of the variety of motorcycle configurations, other accessories, and the features and intended use of this Saddlemen accessory, there could be many different mounting options. You are responsible for the proper installation of this luggage onto your motorcycle. Your attention to these installation instructions and recommendations will permit safe and proper use of this luggage. You must mount this bag properly and securely before riding your motorcycle. If you lack the ability to safely and properly install this bag, seek out a qualified motorcycle technician for assistance. During installation, support the motorcycle with a suitable stand or lift so it will not tip over and injure you, or damage the vehicle. Using or mounting this bag improperly could result in a loss of control of the motorcycle which could result in damage to your motorcycle or other personal property, the property of third parties, and/or personal injury to yourself or others, up to and including death.

BE SURE TO THOROUGHLY READ AND CLOSELY FOLLOW THE MOUNTING INSTRUCTIONS THAT ARE INCLUDED WITH THIS LUGGAGE. Your attention to the installation instructions and recommendations will permit safe and proper use of this accessory. It can be installed in many different ways on many different motorcycles depending upon your intended use and accessories installed on your motorcycle. Therefore the specific mounting for your motorcycle is the installer's responsibility within the guidelines specified in these instructions. Seek qualified technical assistance if you have any questions about accessory installation or use. Improper installation or use of this bag could affect the handling and operation of your motorcycle, possibly resulting in personal injury or death.

- Be sure to thoroughly read and closely follow the mounting instructions that are included with this bag.
- The bag must be installed and securely fastened onto the rear rack, seat or sissy bar assembly.
- Thoroughly inspect your motorcycle luggage before every ride. Do not use this bag if the mounting system has been modified, deteriorated, loosened or is beginning to fail.

IS-11-400471 R850 Roll Bag (Rev 2 06-2023)


CAUTION:

- Do not use this accessory if you have any doubts as to whether it is properly secured to your motorcycle.
- Do not exceed 10 pounds of total weight of the bag, its contents and attachments. Do not exceed the rack's load limits, as listed on your motorcycle or the manufacturer's owners or service manuals.
- When using this luggage, do not exceed your vehicle's Maximum Gross Vehicle Weight, as listed on your motorcycle or the manufacturer's owners or service manuals.
- Install the bag securely so that it will not shift or move while riding. Make sure to check the straps will not contact the rear wheel or drive train during vehicle operation.
- Continually check the security of the bag and strap attachment at each stop as you ride. Straps can loosen during operation, so be sure to check them frequently.
- If this bag is ever damaged, do not use it until inspected by a professional motorcycle dealer. Replace immediately if it has damage that will prevent it from being properly secured to your vehicle or if it will not securely function as intended.
- Once the bag is removed from your motorcycle, all loose mounting straps must be removed or secured so that they will not contact or interfere with any part of the drive train, suspension, brakes or wheels during riding.
- If you do not understand the mounting instructions or this warning label DO NOT mount this bag. Contact your local professional motorcycle dealer for assistance, or call the Saddlemen support line at (310) 638-1222.

INSTALLATION:

This Saddlemen Roll Bag is a universal-fit accessory, that uses two straps to mount to your motorcycle's sissy bar, passenger backrest, back seat or luggage rack. This roll bag also mounts to the top of most Saddlemen sissy bar bags that have a top strap mounting system.

1. The D-rings located on each side of the bag are provided as anchor points for the different straps included, or for your bungee cords. Straps or cords routed through these rings can be used to attach the R850 to the seat, rack or sissy bar using any rigid mounting points accessible on the motorcycle.
2. Two sets of webbing are sewn on the back of each bag, between the elastic covered side release buckles, that can be used to route and hold two of the supplied safety straps. These two straps can then be tightened around the sissybar while the bag is supported by the seat or rear mounted rack. Use the two other safety straps, connected into the elastic covered side release buckles, looped around and secured to accessible rigid mounting points, to hold the bag against the seat or rack and to keep the bag from moving up or down during operation of the motorcycle.



3. This bag can be installed on top of most Saddlemen sissy bar bags, using the four straps attached to the top of the larger bag. Simply release the side release buckles and fit the male portion of the two side release buckles of the main bag into the female buckle counterpart placed under the elastic straps on the sides of the R850 bag and then repeat for the other male / female set on the opposite side of both bags.
4. If bag is set against a painted surface, it can scuff or scratch the paint. Saddlemen offers a Protective Tape Kit (p/n 4320-0807) that can be placed over paint to protect the finish if your desired mounting location causes the bag to contact painted surfaces.

NOTE: DO NOT connect any straps to flexible or moving parts (i.e., rubber mounted turn signals, shocks or drivetrain, etc.).

NOTE: You must tuck away, tie, or cut/shorten all loose mounting straps that might interfere with the motorcycle's operation BEFORE you ride. Use a safe heat source to lightly seal the strap's cut edge.

NOTE: Check bag mounting strap tightness each time you stop.

DO NOT OVER TIGHTEN THE MOUNTING STRAPS: Overtightening the mounting straps can cause the D-rings to separate from the bag. Use additional mounting straps rather than overtightening the straps.

SHOULDER STRAP

To carry the Roll Bag off your motorcycle, attach the ends of the included shoulder strap to a D-ring located on the upper side of each end of your bag. Be sure to remove the shoulder strap prior to installing the bag on your motorcycle.

CAUTION:

Failure to install this accessory properly may allow portions of the bag or its mounting straps to contact the vehicle's moving parts. It is vital that you verify that this bag and/or any of its parts will not touch, or interfere as the motorcycle's suspension moves through its entire range of motion. Make sure that your Roll Bag does not touch the exhaust or other non-moving components, as well, as it may be damaged from such contact. Occasionally, the configuration of this accessory with certain motorcycles may require relocation and/or adjustment of certain components on the vehicle. Check to be sure that all lights and safety reflectors are visible once the bag is in place. If the bag blocks any side reflectors, place reflectors on the exterior sides of the bag (reflectors with self-adhesive backing are available from motorcycle or automobile supply stores). It is your responsibility to make sure installation does not create an unsafe or illegal situation.

Remember: Motorcycling can be a dangerous activity. Installation of any accessory can increase your risk if it is not installed properly. You are responsible to install this accessory so it will not contact any portion of the drive train, suspension or steering, or if it will in any way interfere with the operation of your motorcycle.

After 50 miles (80 kilometers), recheck the security of all mounting straps. Inspect periodically during normal maintenance checks thereafter. Inspect the bag and related hardware before, and during, each ride. A loose bag or hardware can interfere with the vehicle's operation and cause an unsafe riding condition.

NOTE:

CARE AND CLEANING Your Saddlemen bag requires almost no maintenance other than periodic cleaning with mild soap and water and the application of a UV inhibitor to prevent color fading caused by UVA and UVB sun exposure. We recommend Ray Bloc Fabric Protector or a similar product, which can be purchased online or at your local home improvement store. Fading due to lack of maintenance is not covered by warranty.

LIMITED WARRANTY POLICY

SADDLEMEN LIMITED ONE-YEAR WARRANTY Saddlemen warrants its products for defects in materials, design or workmanship for a period of one year after retail purchase. Items that are defective will be repaired or replaced by Saddlemen at its sole discretion. Damage caused by improper use or improper installation is not a defect; therefore repair, replacement or shipping of a damaged accessory will not be covered under this warranty. This limited warranty contains other provisions and conditions, so please refer to the Warranty Policy that was provided with your luggage or visit www.saddlemen.com for additional information. You can count on Saddlemen's quality, innovation, service and style. If for any reason you are not satisfied with the performance of your Saddlemen bag, please contact the Saddlemen support line at (310) 638-1222.

IS-11-400471 R850 Roll Bag (Rev 2 06-2023)



17801 SOUTH SUSANA ROAD, RANCHO DOMINGUEZ, CA 90221

| PH: 310.638.1222