



MOUNTING SUGGESTIONS

Suzuki C90 2005-2009 Solo and Passenger Seat

| | | |
|------------------|-------------------------|-----------------------------|
| Hardware: | Solo: | Passenger: |
| | Chrome stud bracket | Stock 8mm rear fender screw |
| | White nylon washer | white nylon washer |
| | Slotted nut | |
| | Stock 6mm Allen bolt x4 | |

Tools needed: 6mm Allen wrench
5/8" wrench

Removal of stock seat:

1. Remove the rear 8mm Allen screw with a 6mm Allen wrench. This will be used to mount your new Mustang seat.
2. Slide the passenger seat back to remove.
3. Remove the 6mm bolts, and remove the bracket and handstrap.
4. Remove the 6mm front solo bolts, then lift the solo straight up and off the frame.



Installation of Mustang seat:

1. Install the stud bracket to the fender using the stock 6mm fender bolts. The stud must be toward the back of the motorcycle.
2. Position the solo onto the frame. Place the nylon washer over the stud, lower the rear solo bracket over the stud, and very loosely engage the slotted nut.
3. Align the side brackets with the frame mount and secure with stock 6mm bolts.
4. Secure the nut on the fender bracket with a 5/8" wrench. **Do not overtighten.**
5. Engage the passenger seat's slotted front bracket with the slotted nut.
6. Secure the rear bracket with the stock 8mm screw, and check all mounts are secure.

Enjoy the comfort and custom look of your new Mustang seat!



These steps are guidelines to help you install your new Mustang product. If you need further assistance, please call us at 800-243-1392 or 413-668-1100, Monday through Friday 8:30 - 5:00 Eastern or send an e-mail to tech@mustangseats.com or visit our website at www.mustangseats.com.

For care and maintenance of our seats, please go to our website under "Support".

Refers to part numbers: 76540, 76541, 76542, 76543, 76544, 76545, 79410, 79411, 79412, 79413, 79414, 79415



Products made by Mustang Motorcycle Products, LLC are warranted for one year against defects in material and workmanship. Mustang must first be notified of any apparent defect. A return authorization will be issued. Carefully pack the product and return prepaid. Upon receipt, Mustang will make a fair, prompt decision regarding repair or replacement. Incidental and consequential damages arising from or in connection with the installation or use of a Mustang product are not covered by this warranty. An original purchase receipt must be provided to obtain a warranty repair or replacement.